



On-time shipment

Quality safeguards

Technical support



Manufacturer

Alibaba.com Trade Assurance

Payment refund up to 100%



HOSE.COM

VACUUM HOSE



HEATER HOSE



SILICONE HOSE



CPE FUEL HOSE



HOSE CLAMP



HYDRAULIC HOSE



EPDM HOSE



FUEL HOSE



PA TUBE



AIR BRAKE COIL



Stainless wire braided hose, also called oil cooling pipe, used in auto modification, motor show, etc.
Main function is cooling engine crankshaft, clutch, valve assembly.

Product features:

1. Inner tube characteristic: resistant to oil, gasoline, heat, water and corrosion, good air impermeability.
2. Inner tube material: NBR, or CPE
3. Reinforced with SS304 hardware cloth interlayer, outer SS304 wire braided or high strength nylon fiber braided.
4. High gel content rubber inner tube, strong rubber and reinforcing wire bonding, easy installation, flexible in cold.

Remark: Size customization supported.





S.NO	P/N	ID	OD	W/P	B/P	Min B.R
1	AN4	5.56	11.13	7	42	50.8
2	AN6	8.71	14.22	7	42	63.5
3	AN8	11.13	17.2	7	35	88.9
4	AN10	14.29	20.83	7	35	101.6
5	AN12	17.46	24.38	7	26.3	114.3
6	AN20	28.03	36.53	5.17	20.68	140

inner tube: NBR

outer SS304 wire braided

working temperature: -40°C—148.9°C

S.NO	P/N	ID	OD	W/P	B/P	Min B.R
1	AN4	5.56	11.17	10.3	42	50.8
2	AN6	8.71	14.22	10.3	42	63.5
3	AN8	11.13	17.2	10.3	35	88.9
4	AN10	14.29	20.83	8.3	35	101.6
5	AN12	17.46	24.38	5.2	26.3	114.3
6	AN16	21.6	29.2	3.5	17.5	140

inner tube: GPE

outer SS304 wire braided

working temperature: -40°C-150°C



MOQ: no require for NBR, 1000 meters for CPE

Lead time: 5~7 days/ 1000 meters

Packing standard:

AN4	100 meters per reel/carton
AN6	100 meters per reel/carton
AN8	100 meters per reel/carton
AN10	100 meters per reel/carton
AN12	100 meters per reel/carton



Remark: carton size 50*50*20CM